



CytoGrow™ Recombinant IGF-II (Human)

Catalog Numbers: CG100-A, CG100-B, CG100-C Revision 1.0

Specifications

Human
1.60.160.1
10 μg/vial, 50 μg/vial, 1 mg/vial
Tag Free
≥95%, by SDS-PAGE (under reducing (R) & Non-reducing conditions, visualized by Coomassie staining)
≤10 EU/mg by the LAL method
HEK293
Ala25-Glu91
2.0-3.0
White powder, colorless clear liquid after reconstitution
Lyophilized
Ships overnight
Recommended to redissolve in 4mM HCl.
Lyophilized state: 36 months at -20°C to -80°C After reconstitution and under sterile conditions. 6 months at -20°C to -80°C 7-10 days at 2°C to 8°C Store in a manual defrost freezer and avoid repeated freeze-thaw cycles.

Bioactivity 200000 CytoGrow™ Recombinant IGF-II (Human) HEK293, Tag Free Mean RFU 100000 1**0**º 10¹

Measured in a serum-free cell proliferation assay using MCF-7 human breast cancer cells, the ED50 for this effect is ≤50 ng/mL.

Concentration (ng/mL)

Reconstitution

- Reconstitute protein to concentrations of 100 ug/mL or higher.
- Use 4mM HCl to solubilize the lyophilized protein.
- Gently tap glass vial to help collect the powder to the bottom.
- Add desired amount of buffer, observe after 2 min. Gentle agitation by hand may be required.
- Prepare aliquots of solution. Freeze at -20°C to -80°C to avoid repeated freeze thaw cycles.