




CytoGrow™ Recombinant M-CSF (Mouse)

Catalog Numbers: CG093-A, CG093-B, CG093-C Revision 1.0

Specifications

Human 10μg/50μg/1mg Tag Free ≥95%, by SDS-PAGE (under reducing (R)& Non-reducing conditions, visualized by Coomassie staining) ≤100 EU/mg E. coli Glu33-Ser190
Tag Free ≥95%, by SDS-PAGE (under reducing (R)& Non-reducing conditions, visualized by Coomassie staining) ≤100 EU/mg E. coli
≥95%, by SDS-PAGE (under reducing (R)& Non-reducing conditions, visualized by Coomassie staining) ≤100 EU/mg E. coli
≤100 EU/mg E. coli
E. coli
Glu33-Ser190
7.0-8.0
Lyophilized
Ships overnight
Recommended to redissolve in sterile deionized water.
Lyophilized state: 36 months at -20°C to -80°C After reconstitution and under sterile conditions. 6 months at -20°C to -80°C 7-10 days at 2°C to 8°C

Bioactivity



Measured in a serum-free cell proliferation assay using MCF-7 human breast cancer cells, the ED50 for this effect is ≤50 ng/mL.

Reconstitution

- Reconstitute protein to concentrations of 100 ug/mL or higher.
- Use sterile deionized water to solubilize the lyophilized protein.
- Gently tap glass vial to help collect the powder to the bottom.
- Add desired amount of buffer, observe after 2 min. Gentle agitation by hand may be required.
- Prepare aliquots of solution. Freeze at -20°C to -80°C to avoid repeated freeze thaw cycles.